

Microspersion[®] NM31-35 💋

A nonionic water based dispersion of finely micronized natural, biodegradable PHBV for efficient matting and burnish resistance in paints, coatings and inks

Features and Benefits

- Convenient, ready-to-use, pourable nonionic wax dispersion
- Natural biofermentation powder
- Tough, high molecular weight biopolymer provides efficient gloss reduction
- Improved burnish resistance, better than many synthetic additives
- Imparts anti-slip properties
- Freshwater and marine biodegradable to OECD test standards

Dry Wax ID

NatureMatte® 31

Renewable Carbon Index

>95%

Recommended Addition Levels

2.0-5.0% (on total formula weight)

Systems and Applications

Water based coatings. Industrial coatings (including plastic, metal and leather); architectural wall and trim paints; stains, sealers and varnishes; wood coatings; printing inks and OPV's (including flexo and gravure).

Typical Properties*

	Microspersion NM31-35
Wax Solids	35%
Viscosity @ 25 °C (cP)	2,500 - 4,000
рН	6.0 - 7.5
Density @ 25 °C (g/cc)	1.07
Wax Mean Particle Size (µm)	7.5 - 10.5
NPIRI Grind	4.5 - 6.5

Mar-23

Micro Powders, Inc.

580 White Plains Road, Tarrytown, NY 10591 Tel: (914) 793-4058 | micropowders.com *The above data reflects typical properties. Please contact Micro Powders for official product specifications. The information contained herein is to the best of our knowledge true and correct and any suggestions are made without guarantee, express or implied, since conditions of use are beyond our control. Micro Powders, Inc. disclaims any liability incurred in connection with the use of any data or suggestions. Nothing contained herein shall be construed as a recommendation to infringe on any existing patents covering any material or its use.