



SAFETY DATA SHEET

SECTION 1 - Identification:

PRODUCT NAME: AquaKlean 418

SDS NUMBER: AK-418

MANUFACTURER'S NAME: Micro Powders, Inc.
ADDRESS: 580 White Plains Road
Tarrytown, NY 10591

CHEMTREC PHONE: 800-424-9300
INFORMATION PHONE: 914-793-4058

SDS DATE: 2/20/2024
PREPARED BY: EH&S Group

INTENDED USE: Wax additive

SECTION 2 - Hazard identification:

CLASSIFICATION:

OSHA 29CFR 1910.1200
Serious eye damage : Category 1

REGULATION (EC) No 1272/2008
Serious eye damage : Category 1

LABEL ELEMENTS:

Hazard pictograms:



Signal Word : Danger

Hazard Statement : H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P280 Wear eye protection/face protection.
Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

SECTION 3 - Composition/information on ingredients:

Vegetable Wax (Copernica Cerifera) CAS # 8015-86-9

Dodecyl hydrogen sulfate sodium salt CAS # 151-21-3 (<2%)
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, sodium salts CAS # 127184-52-5 (2-4%)
1,2-benzisothiazolin-3-one (BIT) CAS# 2634-33-5 (<0.03%)

SECTION 4 - First-aid measures:

IF IN EYES: Immediately flush with copious amounts of water for at least 20 minutes.

IF ON SKIN: Remove contaminated clothing. Wash skin thoroughly with soap and water.

IF INGESTED: Do not induce vomiting; aspiration hazard. Dilute with 1-2 glasses of water. Get medical aid. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.

SECTION 5 - Fire-fighting measures:

OSHA FLAMMABILITY CLASS: Non-combustible liquid.

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, dry chemical or fine water spray. Avoid water stream on molten burning material as it may scatter and spread the fire.

SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing approved by NIOSH. Watch footing on floors and stairs because of possible melting and spreading of material. Use spray to keep containers cool.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

SECTION 6 - Accidental release measures:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wear recommended personal protective equipment. Do not let spilled material enter waterways. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Report major leaks and spills to the appropriate local, state and federal government agencies.

SECTION 7 - Handling and storage:

SPECIAL HANDLING AND STORAGE: Always wear recommended personal protective equipment. Avoid breathing fumes from heating operations. Avoid spillage which can cause very slippery conditions on floors. Use good personal hygiene and housekeeping.

STORAGE RECOMMENDATIONS:
Avoid excessive heat. Keep from freezing.

SECTION 8 - Exposure controls/personal protection:

ENGINEERING CONTROLS: Use adequate ventilation during heating processes or if dusty conditions prevail when handling powdered materials. For storage and ordinary handling, general ventilation is adequate.

RESPIRATORY PROTECTION: Use a NIOSH approved vapor respirator.

VENTILATION: Face velocity greater than 60 cfm (adequate to capture wax dust or fumes).

SKIN PROTECTION: Use impervious gloves to avoid repeated/prolonged skin contact. Use other protective garments as necessary.

EYE PROTECTION: Chemical goggles around these liquids and in dusty conditions.

OTHER PROTECTIVE EQUIPMENT OR CLOTHING: As needed to prevent repeated/prolonged contact.

WORK / HYGIENIC PRACTICES: Wash skin thoroughly with soap and warm water after handling and before smoking, eating or applying makeup. If clothes become contaminated, change to clean clothing. Do not wear contaminated clothing until properly laundered.

EXPOSURE GUIDELINES: If allowed to dry, powdered forms may generate nuisance particulates upon handling. ACGIH TLV = 10mg/m³. OSHA PEL 5mg/m³.

SECTION 9 - Physical and chemical properties:

Appearance	: Tan to Brown liquid
Odor	: Amine
Odor threshold	: Not applicable
Melting point	: Not Applicable
Boiling point	: 100 °C
Flash point	: Unknown COC
Evaporation rate	: Similar to water
Flammability	: Not applicable
Upper/lower flammability limits	: Not applicable
Vapor pressure	: Not applicable
Vapor density	: Heavier than air
Relative density	: 1.00 g/cc
Solubility	: Miscible with water
Partition coefficient	: Unknown
Auto-ignition temperature	: Unknown
Decomposition temperature	: Unknown
Explosive properties	: Not applicable
Oxidizing properties	: Not applicable
Volatiles (weight percent)	: 65

SECTION 10 - Stability and reactivity:

STABILITY: Stable at normal conditions.

CONDITIONS TO AVOID: Freezing.

INCOMPATABILITY (AVOID CONTACT WITH): Strong oxidizing agents.

HAZARDOUS POLYMERIZATION: Should not occur.

HAZARDOUS DECOMPOSITION PRODUCTS AND/OR BY PRODUCTS:

These products may emit oxides of carbon.

SECTION 11 - Toxicological information:

Acute toxicity	: No data developed.
Skin corrosion/irritation	: No data developed. None expected.

Toxic Substances Control Act (TSCA): This product or its components are listed on the TSCA Inventory. This product and/or its components do not contain any chemicals subject to any rules or orders under TSCA sections 4, 5, 6, 7, or 8(d).

California Proposition 65: Not regulated.

WHMIS Classification (Canada): Not subject to WHMIS regulations.

SARA Section 311/312:

- Acute Health Hazard: No
- Chronic Health Hazard: No
- Fire Hazard: No
- Reactivity Hazard: No
- Sudden Release of Pressure Hazard: No

SARA Section 302: Contains an extremely hazardous substance: No

SARA Section 313: This product does not contain any toxic chemical listed under Sec.313 of the Emergency Planning and Community Right-To-Know Act of 1986.

US. EPA CERCLA Hazardous Substances (40 CFR 302) - not regulated.

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5) - not regulated.

CLEAN WATER ACT - Priority Pollutants: Contains no known priority pollutants at concentrations greater than 0.1%.

SECTION 16 - Other information:

This SDS conforms to OSHA HCS/HazCom 2012 (29 CFR Parts 1910, 1915, 1926)

This SDS conforms to Regulation (EC) No. 1907/2006

Micro Powders, Inc. Quality Assurance Program certified to ISO 9001

This SDS supersedes all previously published documents dated prior to 2/20/2024.

SDS: E-H318 **AK-418:** E-H318

THE DATA SET FORTH IN THIS SDS ARE TYPICAL VALUES (NOT SPECIFICATIONS) BASED ON INFORMATION PROVIDED BY THE SUPPLIERS OF THE RAW MATERIALS AND CHEMICALS USED IN THE MANUFACTURE OF THE AFOREMENTIONED PRODUCT. MICRO POWDERS, INC. MAKES NO WARRANTY WITH RESPECT TO THE ACCURACY OF THE INFORMATION PROVIDED BY THEIR SUPPLIERS AND DISCLAIMS ALL LIABILITY OF RELIANCE THEREOF. MICRO POWDERS, INC. WARRANTS ONLY THAT ITS PRODUCTS CONFORM TO THEIR PUBLISHED SPECIFICATIONS AND NO OTHER EXPRESS WARRANTY IS MADE WITH REGARD THERETO. WE DO NOT GUARANTEE FAVORABLE RESULTS AND WE ASSUME NO LIABILITY IN CONNECTION WITH THE USE OF THESE PRODUCTS. THEY ARE ALL INTENDED FOR USE BY PERSONS HAVING TECHNICAL SKILL AND KNOWLEDGE, AT THEIR OWN DISCRETION AND RISK.